SONY

FWD-49X80G

49" BRAVIA 4K Ultra HD, HDR, LED Professional Display



Overview	High quality 4K HDR images and smart connectivity
	Enrich your business communications with the FWD-49X80G 49" BRAVIA Professional Display that combines lifelike 4K HDR image quality with easy operation, flexible networking/control and extensive integration options.
	Optimised for professional applications, the BRAVIA FWD-49X80G delivers richly coloured, high-contrast 4K HDR images, while 4K X-Reality PRO upscales lower-resolution images closer to true 4K quality.
	The display's clean, minimal design keeps your audience focused on what really matters, while ClearAudio+ delivers pure, immersive sound.
	It's easy to create attractive digital signage, mixing media files and online content with no need for additional player hardware. There's also a wide range of APIs (Application Programming Interface) options to enable remote control/monitoring and integration with external systems.
	Android TV makes your professional display experience even smarter, allowing you to search apps and content with easy hands-free voice searches.
	Integration in corporate environments is simplified by Pro mode that allows easy customisation of display settings to suit different applications.
Features	4K image resolution (3840 x 2160 pixels) 4K offers four times the detail of Full HD, with a resolution of over 8 million pixels bringing extra clarity to corporate display, education and digital signage applications.
	See finer detail 4K X-Reality PRO upscales pictures closer to true 4K quality. Images are sharpened and

More colour with TRILUMINOS Display

TRILUMINOS Display maps colours from a wider palette, faithfully reproducing a world of richer, more lifelike hues and tones.

1

Smoother movement

Motionflow XR inserts additional picture frames between the originals, ensuring smoother, sharper detail in fast-moving sequences.

refined in real time, revealing extra detail from lower-resolution picture sources.

Optimised for professional use

The FWD-49X80G meets the needs of today's business and educational environments, with flexible installation options plus wired or wireless network connection and serial communication control.

Easily create digital signage

Integrated support for HTML5 makes it easy to produce compelling digital signage, with no extra hardware or prior training needed. Combine graphics, text, 4K video and live web content to create attractive signage in minutes.

Lifelike listening

ClearAudio+ fine tunes sound for an immersive, listening experience that seems to surround you. Hear music and dialogue with greater clarity and separation.

Do more with Android TV

Discover a world of apps and online content powered by Android TV. Use Voice Search to find content easily with no typing.

Flexible mounting and installation

BRAVIA Professional Displays offer flexible mounting options with VESA standard mounting for easy integration into a wide range of environments.

Quick set-up with Pro Mode

Customise and store display settings and features, then copy them easily to multiple displays via USB flash memory.

TV System	
Tuner	DVB-T/T2
Number of tuners	1 (Digital / Analog)
Display features	
Dimming type	Frame Dimming
Display device	LCD
Backlight type	Edge LED
Video specs	
Wide Mode	Wide zoom / Normal / Full / Zoom / 14:9
4:3 Default	Yes
Video Processing	4K X-Reality PRO

Specifications

Motionflow	Motionflow XR 100 Hz (Native 50 Hz)
Compatible with HDR	Yes (HDR10, HLG)
Video Signal	4096 x 2160p (24,50,60 Hz), 3840 x 2160p (24, 25, 30, 50, 60 Hz), 1080p (30, 50, 60 Hz), 1080/24p, 1080i (50, 60 Hz), 720p (30, 50, 60 Hz), 720/24p, 576p, 576i, 480p, 480i

2

Down Firing
10W + 10W
Yes
Yes

DLNA	Home Network Client, Home Network Renderer
Miracast (screen mirorring)	Yes
Firmware update	Yes
Internet Browser	Vewd
Wireless LAN	Integrated

Convenience features	
USB Play (contents)	MPEG1:MPEG1 / MPEG2PS:MPEG2 / MPEG2TS (HDV, AVCHD):MPEG2, AVC / MP4 (XAVCS):AVC, MPEG4, HEVC / AVI:Xvid, MotionJpeg / ASF (WMV):VC1 / MOV:AVC, MPEG4, MotionJpeg / MKV:Xvid, AVC, MPEG4, VP8. HEVC / WEBM:VP8 / 3GPP:MPEG4, AVC / MP3 / ASF (WMA) / WAV /MP4AAC / FLAC / JPEG
On screen clock	Yes
Sleep timer	Yes
On/Off timer	Yes
Google Cast	Yes

Inputs and outputs	
HDCP	HDCP 2.3 (for HDMI 1 / 2 / 3 / 4)
RF Connection Input(s)	1 (Side)
Composite Video Input(s)	1 (Bottom)

HDMI[™] Connection(s) (Total) 4 (2 Side, 2 Rear)

Analog Audio Input(s) (Total)	1 (Bottom)
Digital Audio Output(s)	1 (Rear)
Audio Out	1 (Rear / Hybrid with Headphone Out)
USB	3 (Side)

3

Ethernet Connection(s) 1 (Bottom)

Design features	
Finish (Surface Color)	Black
Table Top Stand	Separate (assembly required)
VESA® Hole Spacing Compatible	Yes
VESA® Hole Pitch	200 x 200 mm

Eco and energy saving	
Screen size (measured diagonally)	49" (48.5")
Power Consumption (Rated / standard)	107 W
Annual Power Consumption	280 kWh / Year
Power Consumption (in Standby)	0.5 W
Power Requirements	DC 19.5 V
Power Saving Mode / Back Light Off Mode	Yes
Dynamic Backlight Control	Yes
Light Sensor	Yes
AC Power Input	AC ADAPTER

Measurements	
Display Only (W x H x D) (Approx.)	Approx. 1101 x 645 x 57 (13) mm
Display with Stand (W x H x D) (Approx.)	Approx. 1101 x 704 x 260 mm
Package Carton (W x H x D) (Approx.)	Approx. 1190 x 780 x 143 mm

Weight	
Display Only	11.8 kg
Display with Stand	12.4 kg
Package Carton	17 kg

4

Display specifications

Viewing angle (Right / Left)	178 (89 / 89) degree
Viewing angle (Up / Down)	178 (89 / 89) degree
Display resolution	QFHD
Aspect ratio	16:9
OS	Android 7.0 Nougat

Signage specs	
Easy HTML5 Signage embedded	Yes
Multicast / IPTV	Yes
Control specs	
RS-232C Control	1 (Bottom)
IR Pass Through	Yes
Hotel Mode Pro	Yes
IP Control	Yes

Yes

© 2004 - 2019 Sony Corporation. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Features and specifications are subject to change without notice. The values for mass and dimension are approximate. All trademarks are the property of their respective owners.

HDMI auto wake-up

SONY

Gallery

