Data sheet HP LaserJet Managed E60075 series



This HP LaserJet with JetIntelligence combines performance, energy efficiency, and security.

This HP LaserJet Printer with JetIntelligence combines exceptional performance and energy efficiency with professional-quality documents right when you need them—all while protecting your network from attacks with the industry's deepest security.



HP LaserJet Managed E60075dn



HP LaserJet Managed E60075x

The world's most secure printing¹

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help prevent potential attacks and take immediate action with instant notification of security issues.
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.²
- Give workgroups what they need to succeed. Easily choose and deploy over 175 HP and third-party solutions.

High-speed performance meets energy efficiency.

- Speed through tasks and save paper. Print two-sided documents nearly as fast as one-sided.
- This printer wakes up fast and prints your first page faster—in as quickly as _ seconds.4
- This printer uses exceptionally low amounts of energy thanks to its innovative design and toner technology.⁵
- Paper handling options include a wheeled stand and 550-sheet input feeder for paper sizes A6 to legal.

More. Pages, Performance, and Protection.⁶


- Produce sharp text, bold blacks, and crisp graphics with precision black toner.
- Original HP Toner cartridges with JetIntelligence deliver more pages per cartridge than predecessors.⁶
- Help retain the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Spend less time replacing toner, and more on business. Choose high-yield toner cartridges.⁷

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims² HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, offware application, driver, and document complexity. ⁴ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, offware application, driver, and document complexity and time in sleep. ⁵ Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see http://www.hp.com/go/Licliams⁶ More pages versus predecessor cartridges claim based on page-vield comparison of HP 37X High Yield Black Original Laser.let Tomer Cartridges not included, please purchase separately.

Product walkaround

Hardware Integration Pocket³
4.3-inch (10.9 cm) color touchscreen control panel
Easy-access USB port¹
100-sheet multipurpose tray 1
Front door access to toner cartridges
550-sheet input tray 2
550-sheet output bin
Automatic two-sided printing
Host USB port
Gigabit Ethernet network port
Hi-Speed USB 2.0 printing port
Slot for cable-type security lock

HP LaserJet Managed E60075x



Series at a glance





Model	HP LaserJet Managed E60075dn	HP LaserJet Managed E60075x
Part number	МОРЗ9А	M0P40A
Print speeds (letter/A4)²	Up to 75/71 pages per minute (ppm)	Up to 75/71 ppm
Control panel	2.7-inch (6.9 cm) LCD with keypad	4.3-inch (10.9 cm) color touchscreen
Hardware Integration Pocket ³	\checkmark	\checkmark
100-sheet multipurpose tray 1, 550-sheet tray a	2 1	\checkmark
550-sheet paper feeder₄	Optional (up to four)	√ (plus up to three optional)
2,100-sheet paper feeder⁴	Optional	Optional
Envelope feeder	Optional (up to two)	Optional (up to two)
Printer stand	Optional	Optional
5-bin stapler/stacker/mailbox with job offset	Optional	Optional
Wireless direct,®NFC touch-to-print®	Optional	Optional
Wireless networking ⁷	Optional	Optional
HP High-Performance Secure Hard Disk	Optional	Optional

¹An administrator must enable the easy-access USB port before use. ²Measured using ISO/IEC 24734; excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ³Solutions deployed through the Hardware Integration Pocket (HIP) may require additional purchase. ⁴Both models come standard with the 100-sheet multipurpose tray and 550-sheet tray 2. The HP LaserJet Managed E6007Sk model comes with one additional 550 sheet paper feeders standard, and can add up to four additional optional 550-sheet paper feeders and the optional 2,100-sheet paper feeder. Bla optional accessories support media up to letter size (AA). SAdd wireless direct by purchasing the optional HP Jettieret 3000w FC/Wireless Direct Accessory. Mobile device needs to be connected directly to the signal of a wireless direct supported MPP or printer printer

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

Next Business Day Onsite with Defective Media Retention:

Customers can retain their hard disk drive and keep control of sensitive data.

Same Day Onsite – 4 hour 9x5:

Sends an HP technician to customers' site the same business day for repair, within 4 hours, if the issue cannot be resolved through remote support. Various support window times are available, for different requirements.

Next Business Day Exchange:

Ships a permanent replacement unit overnight via premium airfreight, if hardware issue cannot be resolved remotely. Shipping charges are prepaid by HP.

For carepack availability visit: hp.com/go/cpc











Top features

Only HP Enterprise printers repair themselves from attacks in real time while offering outstanding manageability. Automatically monitor threats, detect intrusions, and validate operating software while centrally managing your fleet with ease.¹

With speeds up to 75 pages per minute,³ fast first page out, and a variety of paper-handling options, you get confidence that your employees can speed through their tasks without interruption.

Get more pages and help protect your printer using Original HP Toner cartridges with JetIntelligence. $^{\scriptscriptstyle 6}$

Accessories

L0H17A -	HP LaserJet 550-Sheet Paper feeder		
L0H18A -	HP LaserJet 2100 sheet Paper feeder		
L0H19A -	HP LaserJet Printer Stand		
LOH20A -	HP LaserJet Stapler/Stacker/ Mailbox		
LOH21A-	HP Envelope Feeder		
B5L28A -	HP Internal USB Ports		
B5L29A -	HP Secure High Perf Hard Disk Drive		
J8031A -	HP Jetdirect 2900nw Print Server		
F5S62A -	HP Trusted Platform Module Accessory		
G6W84A -	1 GB Memory DIMM Kit		
LOH22A -	HP Extension Tray Cover (M0P39A)		

Supplies

- J8J96A- HP Staple Cartridge Refill , L0H24A - HP LaserJet 110v Maintenance Kit
- LOH24A HP LaserJet 220v Maintenance Kit
- W9004MC HP Black Managed LaserJet Toner (50,000 yield)

Services

U9NC7E - HP 5 year Next Business Day HW Support w/DMR U9ND0E - HP 5 year 4 hour 9x5 HW Support w/Defective Media Retention U9ND3E - HP 5 year NBD Parts Exchange Service for Laser Jet U9ND5PE HP 2 year Post Warranty Next Business Day HW Support w/DMR U9ND7PE -HP 2 year Post Warranty 4 hour 9x5 HW Support w/DMR for U9ND9PE - HP 2 yr Post Wty NBD Parts Exchange Service

¹ Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims ² HP Web Jetadmin is available for download at no additional charge at http://www.hp.com/go/webjetadmin ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerslams. Exact speed varies depending on the system configuration, software application, driver, and document complexity. ⁴ Measured after 15 min in sleep. Exact speed varies depending on the system configuration, software application, driver, document complexity, and time in sleep. ⁵ Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitives as of 8/2015. Actual results may vary. For details see http://www.hp.com/go/learnaboutsupplies ⁷ HP 37X High Yield Black Original Laser.jet Tomer Cartridges with HP 87X High Yield Black Original Laser.jet Tomer Cartridges with HP 87X High Yield Black Original Laser.pet to includer; please purchase separately.

HP LaserJet Managed E60075 series

Technical Specifications	HP LaserJet Managed E60075dn(M0P39A)	HP LaserJet Managed E60075x(M0P40A)	
Print speed	Letter: Up to 75 ppm black; ⁷ ; First Page Out Black: As fast as 5.3 sec; ⁹		
Print resolution	Black (fine lines): Up to 1200 x 1200 dpi		
Print Technology	Laser; Print Resolution Technologies; FastRes 1200; 1200 x 1200 dpi		
Print Cartridges Number	1 (t	olack)	
Standard Print Languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP	postscript level 3 emulation, native PDF printing (v 1.7), Apple AirPrint™	
Printer Smart Software Features	Print preview, duplex printing, print multiple pages per sheet (2, 4	4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB	
Printer Management	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software	e; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver	
Standard Connectivity	1 Hi-Speed USB 2.0 Device; 2 Hi-Speed USB 2.0 Host; 1 Gigabit Ethernet 10/100/1000T network		
Mobile Printing Capability	HP ePrint; Apple AirPrint™; Mopria-certified ⁶	HP ePrint; Wireless direct printing; Apple AirPrint™; Mopria-certified ⁶	
Memory		nemory, when 1 GB Accessory DIMM is installed	
Processor Speed	1.2	2 GHz	
Duty Cycle	Monthly, letter: Up to 450,000 pages Recomm	nended Monthly Page Volume: 5000 to 50,000	
Paper Handling	Input Capacities: 100-sheet multipurpose feeder, 550-sheet input feeder, Up to 650 sheets standard labels legal; Output Capacities: 500 sheet output bin; Up to 500 sheets standard labels legal; Duplex Options: Automatic (standard): Envelope Feeder: Yes, 75 (optional): Standard Paper Trays: 2; Media Types Supported: Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), mono transparency, labels, letterhead, envelope, heavy envelope; Media Weight Supported: Feeder 1: 16 to 53 lb bond (plain), 16 to 24 lb (envelopes); feeder 2: 16 to 32 lb bond (plain); Media Sizes Supported: feeder 1: 1etter, legal, statement, executive, Oficio (8.5 x 13 in), envelopes (No. 9, No. 10, Monarch(7 3/4)), 3 x 5, 4 x 6, 5 x 7, 5 x 8; feeder 2 letter, executive, legal; Media Sizes Custom: feeder 1: 3 x 5 to 8.5 x 14 in; feeder 2: 3.90 x 5.83 to 8.5 x 14 in	Input Capacities: 100-sheet multipurpose feeder, 550-sheet input feeder, 550 accessory feeder: Ub 1200 sheets standard labels legal; Output Capacities: 500 sheet output bin: Up to 500 sheets standard labels legal; Duplex Options: Automatic (standard): Envelope Feeder: Ves, 75 (optional); Standard Paper Trays; 3: Media Types Supported: Paper (plain, light, bond, recycled, heavy, extra heavy, cardstock, pre-printed, pre-punched, colored, rough, heavy rough), mono transparency, labels, letterhead, envelope, heavy envelope; Media Weight Supported: Feeder 1: 16 to 33 lb bond (plain), 16 to 24 lb (envelopes); feeder 2, 3: 16 to 32 lb bond (plain); Media Stees Supported: Feeder 1: 16 to 34 lb bond (plain), 16 to 24 lb (envelopes); feeder 2, 3: 16 to 32 lb bond (plain); Media Stees Supported: Feeder 1: 16 to 34 lb bond (plain), 16 to 24 lb (envelopes); feeder 2, 3: 16 to 32 lb bond (plain); Media Stees Supported: Feeder 1: 16 to 34 lb bond (plain), 16 to 24 lb (envelopes); feeder 2, 3: 16 to 32 lb bond (plain); Media Stees Supported: Feeder 1: 16 to 34 lb bond (plain), 16 to 24 lb (envelopes); feeder 2, 3: 16 to 32 lb bond (plain); Media Stees Supported: Feeder 1: 16 to 34 lb bond (plain); 16 to 24 lb (envelopes); feeder 2, 3: 16 to 32 lb bond (plain); Media Stees Supported: 5 x 4 s, 5 x 7, 5 x 8; feeder 2: letter, executive, legal; feeder 3: 3: 30 x 5. 83 to 8.5 x 14 in in; feeder 2: 3: 30 x 5. 83 to 8.5 x 14 in in feeder 3: 3: 30 x 5. 83 to 8.5 x 14 in	
Product Dimensions	W x D x H: 17 x 18.3 x 15 in; Maximum: 17 x 40.9 x 17.8 in	W x D x H: 17 x 18.3 x 19.9 in; Maximum: 17 x 43.3 x 22.9 in	
Product Weight	47.7 lb	58 lbs	
What's in the box	HP Laser Jet Printer; HP Black Original Laser Jet Toner Cartridge (~11K vield); CD with software drivers and documentation;Documentation (Hardware Install Guide); Power cord ²		
Warranty Features	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to hp.com/support to learn about HP award winning service and support options in your region. (wty code 4G)		
Control Panel	Rotating 2.7-in QVGA LCD (color graphics) with 24 key pad.	Rotating 4.3-in touch screen, LCD (color graphics)	
Display Description	2.7-in (6.86 cm) QVGA LCD (color graphics) rotating (adjustable angle)	4.3-in (10.92 cm) Color Graphics Display (CGD) with touchscreen; rotating (adjustable angle)	
Software Included	HP Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Ma	c OS Welcome Screen (Directs users to 123.HP.com or OS App Source for printer software), Online user manuals	
Fonts and Typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria) Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts		
Compatible Operating Systems	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17, 1, 17, 2, 17, 3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 EL Capitan, UNIX, Windows 10 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows 7 all 32- & 64-bit editions (Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), Windows Vista all 32bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)		
Compatible Network Operating Systems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003R2, Citrix on Windows Server 2008/2008R2/2008 R2 SP1, Citrix on Windows Server 2008/2012/2012R2, Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 Ferminal Services 32- and 64-bit, Citrix XenApp 6.0/6.5, [for Windows Server 2008 R2 Ferminal Services, 32- and 64-bit], Citrix XenApp 6.0/6.5, [for Windows Server 2008 R2 Ferminal Services, 32- and 64-bit], Citrix XenApp 6.0/6.5, [for Windows Server 2008 R2 Ferminal Services, 32- and 64-bit], Citrix XenApp 6.0/6.5, [for Windows Server 2008 R2 Ferminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5, [for Windows Server 2008 R2 Ferminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5, [for Windows Server 2008 R2 Ferminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5, [for Windows Server 2008 R2 Ferminal Services, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5, [for Windows Server 2008 R2 Fervices, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5, [for Windows Server 2008 R2 Fervices, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5, [for Windows Server 2008 R2 Fervices, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5, [for Windows Server 2008 R2 Fervices, 32- and 64-bit], Citrix XenDesktop 5.6/7.0/7.5, [for Windows Server 2008 R2 Server 2003/2003 R2 32-6/4-bit], Novell Nevell Com/print, Novell Services, 04-001, Citrix XenDesktop 5.6/7.0/7.5, [for Windows Server 2003/2003 R2 32-6/4-bit], SP1, Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2003/2003 R2 32-6/4-bit (SP1/SP2), Standard/208 R2 32-6/4-bit (SP1/SP2), Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 64-bit (SP1/SP2), Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2012/2012 R2 64-bit (SP1/SP2), Standard/Foterprise/Server 2008/2008 R2 32-6/4-bit (SP1/SP2), Standard/Enterprise (+ Cluster & Terminal Services), Win		
Minimum System Requirements	PC: 2 GB available hard disk space; OS hardware requirements see microsoft.com; MAC: 1.3 GB available hard drive space; Internet; OS hardware requirements see Apple.com for more info		
Power	Power Supply Type: Built in 115V or 220V Power Supply (Not dual voltage, power supply varies by part number with # Option code identifier); Power Requirements: 100V - 127V nominal @ +/-10% (min 90V, max 140V); 50 - 60Hz nominal +/- 3Hz (min 47Hz, max 63Hz), 6A; Power Consumption: 780 watts (printing), 15.3 watts (ready), 3.1 watts (steed), 0.1 watts (Auto Off Manual Of), - 0.1 watts (Manual Off) ³		
Acoustics	Acoustic Power Emissions: 7.1 B(A); Acoustic Pressure Emissions: 56 dB(A)	Acoustic Power Emissions: 7.0 B(A); Acoustic Pressure Emissions: 55 dB(A)	
Operating Environment	Operating Temperature Range: 15 to 27°C; Recommended Operating Temperature: 59 to 80.6°F; Storage Temperature Range: -4 to 104°F; Non-Operating Humidity Range: 10 to 80% RH; Operating Humidity Range: 30 to 70% RH; Recommended Humidity Operating Range: 10 to 90% RH		
Security Management	Identity management: Kerberos authentication; LDAP authentication; 1000 user PIN codes; optional HP and 3rd party advanced authentication solutions (e.g.; badge readers); Network: IPsec/firewall with Certificate; Pre-Shared Key; and Kerberos authentication; Supports WJA-10 IPsec configuration Plug-in; B02.1X authentication (EAP-PEAP; EAP-TLS); SNMPv3; HTTPS; Certificates; Access Control List; Data: Storage Encryption; Encrypted PDF & Email (uses FIPS 140 validated cryptographic libraries from Microsoft); Secure Erase; SSL/TLS (HTTPS); Encrypted Credentals; Device: Security lock slot; USB port disablement; hardware integration pocket for security solutions; Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks; SureStart Secure Boot - BIOS Integrity (Decking with self-healing capability; Whitelisting - Loads on the Vector (ode (DLLs, EXEs,); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs		

¹ EPEAT[®] registered where applicable. EPEAT registration varies by country. See http://www.hp.com/go/learnaboutsupplies³ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. ⁴ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. ⁴ Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Lenergy Star value typically based on measurement of 115 V device. ⁵ Average color composite (/M/Y) and black declared yields based on SO/IEC 19798 and continuous printing. Actual yields war considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.⁶ May require a firmware upgrade to be compatible, download at http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.⁸ Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.¹⁰ BeM/C is non-volatile storage; Firmware encrybion (AES 128 or AES 256) of customer/jbd data; Secure Cryptographic Tersae – Db Sk¹¹ Original HP Lasercle¹⁴ and "X" toner cartridges are also compatible with this product.¹² Eased on the AE TEC method with the following possible exceptions: 1 minute or less sleep delay setting, Wi-Fi disabled. ¹³ Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, yoilt http://www.hp.com/go/learnaboutsupplies

Learn more at hp.com

© Copyright 2017 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

