

Overview

Models

HP 6600 Switch Power Supply

J9269A

Product overview

The HP 6600 Switch Power Supply provides a redundant, modular enclosure to provide hot-swappable AC power. These extra supplies can also be used to provide load balance power for instantaneous failover for Data Center environments where uptime for serve edge connectivity is paramount.

Technical Specifications

HP 6600 Switch Power Supply (J9269A)

Physical characteristics

Dimensions	3.39(w) x 9.37(d) x 1.5(h) in (8.6 x 23.8 x 3.8 cm)
Weight	2.45 lb (1.11 kg)

Environment

Operating temperature	41°F to 104°F (5°C to 40°C)
Operating relative humidity	15% to 80% @ 104°F (40°C), noncondensing
Nonoperating/Storage temperature	-40°F to 158°F (-40°C to 70°C)
Nonoperating/Storage relative humidity	15% to 90% @ 104°F (40°C), noncondensing
Altitude	up to 10,000 ft (3 km)

Electrical characteristics

Notes **Notes:** Power draw and heat dissipation are dependent on the number of power supplies installed.

Services

Refer to the HP website at www.hp.com/networking/services for details on the service-level descriptions and product numbers. For details about services and response times in your area, please contact your local HP sales office.

To learn more, visit www.hp.com/networking

© Copyright 2012 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.