

WorkForce Pro WF-6090DW



Offering increased productivity and reduced intervention for busy offices, this high-capacity colour printer save time, money and energy.

Offering increased productivity and reduced intervention for busy offices. With advanced colour duplex printing, the WF-6090DW delivers a first page out time of just seven seconds¹. It's the perfect upgrade for businesses that need to print colour documents, this inkjet printer saves money, time and energy.

Environmentally-conscious

With up to 80% lower energy consumption than competitive colour lasers², the WF-6090DW cuts your environmental impact. Relying on clean technology, it produces no fan noise when not printing, no heat and no ozone gas.

Low running costs

With an up to 50% lower cost per page and a lower total cost of ownership compared to competitive colour laser printers³, the WF-6090DW will save businesses money. With colour duplex printing, it also saves paper.

Less intervention and high reliability

Using Epson's XXL ink cartridges, the WF-6090DW can print up to 10,000 pages in black and 7,000 pages in colour, which is equal to or better than colour laser equivalents⁴. The maximum paper capacity of 1,581 pages means less time spent refilling.

Fast printing

With a colour first page out time of just seven seconds¹, the WF-6090DW is perfect for printing small print jobs quickly.

Smart control

Print to the WF-6090DW wirelessly with NFC pairing from Android smart devices, or email documents from remote locations for instant printing on the WF-6090DW⁶. Epson Device Admin makes it easy to manage a fleet of devices remotely.

DATASHEET



KEY FEATURES

- **Save energy**
Up to 80% lower energy consumption than competitive colour lasers²
- **XXL ink cartridges**
Print up to 10,000 black & 7,000 colour pages⁴
- **Fast printing**
Print a colour page in just 7 seconds
- **Save money**
Up to 50% lower cost per page than competitive colour laser printers
- **Smart control**
Print from mobile devices with NFC connectivity⁶

PRODUCT SPECIFICATIONS

TECHNOLOGY	
Printing Method	PrecisionCore™ Print Head
Minimum Droplet Size	3.7 pl, With Variable-Sized Droplet Technology
Ink Technology	DURABrite™ Pro
Nozzle Configuration	800 Nozzles black, 800 Nozzles per colour
Category	Small Workgroup
All-in-One Functions	Print

PRINT	
First Page Out	Monochrome 7 Seconds, Color 7 Seconds
Printing Speed ISO/IEC 24734	24 Pages/min Monochrome, 24 Pages/min Color
Maximum Printing Speed	34 Pages/min Color (plain paper), 34 Pages/min Monochrome (plain paper)
Duplex Printing Speed	16 A4 Pages/min Monochrome, 16 A4 Pages/min Color
ISO/IEC 24734	
Printing Resolution	4,800 x 1,200 dpi
Max Duty cycle	65,000 Pages per month
Colours	Black, Cyan, Yellow, Magenta

For detailed information on printing speeds please visit <http://www.epson.eu/testing>.

CONNECTIVITY	
Interfaces	Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-Base TX/ 10-Base-T), Wireless LAN IEEE 802.11b/g/n, Wi-Fi Direct, Near Field Communication (NFC), Gigabit ethernet interface, Ethernet interface (100 Base-TX / 10 Base-T)
WLAN Security	WEP 64 Bit, WEP 128 Bit, WPA PSK (AES), WPA2 Enterprise
Network Printing Protocols	LPR, FTP, IPP, LPD, Port 9100, WSD, TCP/IPv4, TCP/IPv6, IPSec
Network Management Protocols	SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTp, Ping, SLP, WSD, LLTD, IEEE 802.1X

PAPER / MEDIA HANDLING	
Paper Formats	A4, A5, A6, B5, C4 (Envelope), C6 (Envelope), No. 10 (Envelope), Letter, 10 x 15 cm, 13 x 18 cm, 20 x 25 cm, 16:9, Legal
Duplex	Yes
Standard Paper input	581 Sheets Standard, 80 Sheets MP tray, 500 Sheets paper tray
Output Tray Capacity	250 Sheets
Paper Tray Capacity	500 Sheets Standard, 1,581 Sheets maximum
Optional paper tray(s)	2 x 500-Sheet paper tray, Cabinet
Maximum paper input	1,581
Number of paper trays	3

GENERAL	
Energy Use	8.1 W (Ready), 0.4 W (Power off), 37 W (standalone copying, ISO/IEC 24712 pattern), 2.1 W (sleep mode)
Product dimensions	478 x 522 x 404 mm (Width x Depth x Height)
Product weight	28 kg
Compatible Operating Systems	Linux, Mac OS 10.6+, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Microsoft Windows XP (Home Edition / Prof / Prof X64 / Vista), Windows Server 2003 (32/64bit), Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit)

ADDITIONAL FEATURES	
LCD screen	Type: Monochrome, Diagonal: 5.6 cm

OTHER FEATURES	
Emulations	PCL6, PCL5c, PCL5e, ESC/P-R, PostScript 3, PDF 1.7

WorkForce Pro WF-6090DW

WHAT'S IN THE BOX

- Quick Setup Guide
- Individual Ink Cartridges
- Main unit
- Warranty Documents
- User manual (CD)
- Power cable

SUPPLIES

● Ink Cartridge XL Yellow	C13T908440	4,000 pages
● Ink Cartridge XL Magenta	C13T908340	4,000 pages
● Ink Cartridge XL Cyan	C13T908240	4,000 pages
● Ink Cartridge XL Black	C13T908140	5,000 pages
● WF-6xxx Ink Cartridge Yellow XXL	C13T907440	7,000 pages
● WF-6xxx Ink Cartridge Black XXL	C13T907140	10,000 pages
● WF-6xxx Ink Cartridge Cyan XXL	C13T907240	7,000 pages
● WF-6xxx Ink Cartridge Magenta XXL	C13T907340	7,000 pages
● WF-6xxx Series Optional Cassette Maintenance Roller	C13S210047	200,000 pages
● WF-6xxx Series Standard Cassette Maintenance Roller	C13S210046	200,000 pages
● Maintenance Box	C13T671200	
● Business Paper 80gsm 500 sheets A4	C13S450075	

OPTIONAL ACCESSORIES

- 500 Sheet Paper Cassette for WF-6000 Series
C12C932011

LOGISTICS INFORMATION

SKU	C11CD47301BY
EAN code	8715946604435
Dimensions Single Carton	724 x 716 x 678 mm
Carton Weight	29 Kg
Multiple Order Quantity	1 Units
Pallet Size Euro	3 Units

WorkForce Pro WF-6090DW

INK YIELD DATA



T9081

T9073

●	5,000 pages*	10,000 pages*
● ● ●	4,000 pages*	7,000 pages*

* Approx. page yield based on ISO/IEC 24711/24712 or ISO/IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit <http://www.epson.eu/pageyield>



For more information please contact:

Telephone: 01952 607111 (UK)+
01 436 7742 (Republic of Ireland)
E-mail: enquiries@epson.co.uk
Chat: etalk.epson-europe.com
Fax: 0871 222 6740
+ Local call rate.

Web: www.epson.co.uk
www.epson.ie

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.

1. Determined in accordance with ISO/IEC 17629 showing the average of FPOT(sec) from the Office Category Test for default A4 simplex and duplex. For more information, please visit www.epson.eu/testing
2. + 3. For more information visit www.epson.eu/inkjetsaving
3. Approx. page yield based on ISO/IEC 24711 tests in default mode and single sided continuous printing methodology, using the monochrome test pattern provided in ISO/IEC 19752. Actual yield will vary depending on images printed and usage conditions. For more information visit www.epson.eu/pageyield
4. Requires download from Epson website
5. Please visit www.epson.eu/epe for more information. Near Field Communication requires Epson iPrint app, available from Epson website for Android devices.

EPSON[®]