

FWD-32WD605/T

32" BRAVIA HD Ready LED Professional Display



Overview

The display that's designed for business

Present a clear, professional image with the FWD-32WD605/T 32" BRAVIA Professional Display. It's the superior way to get your message across, with crisp HD picture quality, advanced controls and reliable operation.

With advanced control, Simple Pro Mode and optional interactive compatibility, it makes it easy to create attractive digital signage so you always present a clear image.

Enrich your audience's display experience with seamless TEOS integration and a choice of built-in solutions to add extra functionality, from meeting room support to automation.

For even greater peace of mind there's the added reassurance of our 3 Year Advanced Exchange warranty. If there's a problem with your display, we'll offer a free, brand new replacement product rather than repair included as standard. You can also choose to extend your warranty for 2 additional years.

Features

See finer detail

X-Reality™ PRO picture processing analyses every frame, matching scenes with our special image database to refine images and reduce noise.

Smoother movement

Motionflow XR inserts additional picture frames between the originals, ensuring smoother, sharper detail in fast-moving sequences.

TEOS Integration (*1)

BRAVIA integrates seamlessly with TEOS, Sony's suite of workspace management applications that orchestrate control of devices and content in boardrooms, meeting areas and public spaces.

Built-in BRAVIA solutions

Achieve more with a choice of ready-to-run solutions that being even more capabilities to BRAVIA, with no additional hardware or software needed.

Flexible mounting and installation

BRAVIA offers flexible mounting options with VESA standard mounting for easy integration into a wide range of environments.

Quick set-up with Pro Mode

Customise and store display settings and features, then copy them easily to multiple



displays via USB flash memory.

Greater peace of mind

There's extra reassurance with our 3 Year Advanced Exchange Warranty that's included as standard. If there's a fault with your BRAVIA Professional Display, we'll provide a replacement unit at no extra charge to keep you up and running.

Specifications

Display features	
Brightness (cd/m²)	350
Native contrast ratio	1200:1
Dynamic contrast ratio	300000:1
Response Time (ms)	8
Display device	LCD
Backlight type	Direct LED

TV System	
Tuner Channel Coverage (Digital Terrestrial)	VHF / UHF (Depend on country selection)
Tuner Channel Coverage (Digital Cable)	VHF / UHF / cable (Depend on country selection)
Tuner Channel Coverage (Digital Sat)	IF Frequency 950-2150 MHz
Number of Tuners (Terrestrial / Cable)	1 (Digital / Analog)
Number of Tuners (Sat)	1
CI+	1 (Rear)
HEVC support (Broadcast)	Yes (Up to 1920 x 1080 / 60p 8 bit)
Operating System	Linux

Display Features	
Backlight dimming type	Frame Dimming
Display type	LCD

Display Specs	
Backlight type	Direct LED
Display resolution (H x V, pixels)	1366 x 768
Screen Size (inch, measured	32" (31.5")



diagonally)	
Screen Size (cm, measured diagonally)	80.0 cm
Display Resolution	HD Ready
Video Features	
Picture modes	Vivid, Standard, Custom, Photo-Vivid, Photo- Standard, Photo-Custom, Cinema, Game, Graphics, Sports
Video Processing	X-Reality PRO
Motion enhancer	Motionflow™ XR 200 Hz (native 50 Hz)
Live Colour™ Technology	Yes
Dynamic Contrast Enhancer	Yes
Audio Specs	
Speaker Type	Open Baffle Speaker
Audio Power Output	5 W + 5 W
Audio Features	
DTS audio format support	DTS 2.0 + Digital Out
Sound modes	Standard, Music, Cinema, Sports
Dolby audio format support	Dolby™ Digital, Dolby™ Digital Plus, Dolby™ pulse
HDMI Audio Return Channel(ARC)	Yes (ARC)
Network Features	
Screen mirroring (Miracast ™)	Yes
Convenience Features	
Electronic Program Guide (EPG)	Yes
HDMI-CEC	Yes
Sleep Timer	Yes
On/Off Timer	Yes
Display Language	BUL / CAT / CZE / DAN / GER / GRE / ENG / SPA / EST / FIN / FRE / HEB / HRV / HUN / ITA / KAZ / LIT / LAV / DUT / NOR / POL / POR / RUM / RUS

Energy Saving & Efficien	icy
Peak luminance ratio for EU	70%
Mercury content(mg)	0.0
Dynamic Backlight Control	Yes
Power Saving Mode / Back Light Off Mode	Yes
General Features	
Closed Captions (Digital)	Subtitle
Professional Features	
Professional Hidden Mode	Yes
HDMI auto wake-up	Yes
Multicast / IPTV	Yes
Compatible with TEOS Workplace Management Solution (*1)	Yes
Available storage	4 GB
Compatible TEOS Content	Customised design, text, pictures, videos, YouTube, traffic, weather, public information, Facebook, Twitter, poweroint and more
Customising Capability	
IP Control	Yes
Design Features	
Frame color	Black
Stand Design	Black U Slate
Inputs and Outputs	
HDCP	HDCP 1.4
RF (Terrestrial/Cable) Connection Input(s)	1 (Bottom)
IF (Satellite) Input(s)	1 (Bottom)



HDMI inputs total	2 (1 Rear / 1 Side)
Digital Audio Output(s)	1 (Rear)
Audio Output(s)	1 (Side / Hybrid with Headphone and SubWoofer Out)
Ethernet inputs	1 (Rear)
Power	
Power Requirements (voltage)	DC 19.5 V
Rated Power Consumption	Rated: 59.4 W / Standard: 35 W
Annual Power Consumption	51 kWh / Year 1
Power consumption (Networked Standby)	1.00 W (Wi-Fi) / 1.00 W (LAN)
Measurements (Approx.)	
Dimension of TV without Stand (W x H x D)	Approx. 73.5 x 44.6 x 6.6 cm
Dimension of TV with Stand $(W \times H \times D)$	Approx. 73.5 x 48.1 x 17.4 cm
Dimension of Package Carton (W x H x D)	Approx. 82.5 x 55.5 x 16.1 cm
Bezel Size (Top, Side, Bottom)	11.4/12/18.9
Stand Width	Approx. 53.7 cm
Supplied Accessories	
Remote Control	RMT-TX300E
Batteries	R03
AC Power Adaptor	ACDP-085D01
AC Power Cord Spec	(C7) (EUROPE2) (2pin) (round pins)
Operating Instructions	GB, FR, DE, NL, ES, PT, IT, DK, NO, SE, FI, PL, CZ, SK, HU, RO, BG, GR, TR
Quick Setup Guide / Supplement CUE (GA)	GB, FR, DE, NL, ES, PT, IT, DK, NO, SE, FI, PL, CZ, SK, HU, RO, BG, GR, TR, RU, UA
Table Top Stand	Separate (assembly required)

Optional Accessories

SU-WL450 (Terminal access limitation, refer



Service and Warranty	
Standard Warranty	3 Years with Advanced Exchange
5 Years Warranty with Advanced Exchange (optional)	PSP.FW6G-32.2X
Notes	
(*1)	Requires TEP-TX5 Player

to SU-WL450 product page)

Wallmount Bracket

Gallery

