


### Overview



### Models

HP Graphical POS Pole Display

QZ704AA

---

### Introduction

The HP Graphical POS Pole Display is a stylish and durable 2-line customer-facing display.

---

### Overview

#### Key Features and Benefits

- The display delivers clear, easy-to-read text and graphics for displaying product prices, retailer logos, and designs, and supports complex character sets and a range of languages.
  - Flexible positioning from adjustable swivel, tilt, and height help you customize the perfect position wherever you need to place the display and create a clearer line of sight between the store associate and customers.
  - Get up and running quickly with the industry-standard interface, command modes, and drivers that help ensure out-of-the-box compatibility with your current installed retail systems.
  - To help prevent damage from wet counter surfaces, the electronic components are contained in the display panel at the top of the pole.
  - The compact, weighted base fits into a range of tight spaces and stays in place on the counter. A two-hole screw pattern on the base of the display offers additional security for bolting the display to the counter or work space (mounting hardware sold separately).
- 

#### Compatibility

The HP Graphical POS Pole Display is compatible with HP Retail Systems except the HP ap5000.

**NOTE:** Not all HP Retail Systems are available in all regions.

---

#### Service and Support

Your HP Peripheral Limited Warranty is a three (3) year (HP Option Limited Warranty Period) parts replacement warranty.

### Technical Specifications

#### General

<b>Display Type</b>	Vacuum Fluorescent Display, Blue Green
<b>Brightness</b>	350 – 700 cd/m <sup>2</sup> (max)
<b>Character number</b>	20 x 2
<b>Character font</b>	20 x 2 for 16 x 16 font 10 x 1 for 32 x 32 font 320 x 32 for graphics
<b>Character type</b>	95 Alphanumeric, 32 International Characters
<b>Supported Character Sets</b>	Supported Code Pages:

<b>Language</b>	<b>Code Page</b>
BosBosnian	852
Bulgaria	1252
Croatian	852
Czech	1252
Danish	1252
Dutch	1252
English (US)	437
Estonian	1257
Faroese	1252
Finnish	1252
Flemish	1252
French	1252
French Canadian	863
German	1252
Greek	1253
Hebrew	1255
Hirakana	Japan
Hungarian	852
Icelandic	1252
Indonesian	1252
International English	1252
Irish	1252
Italian	1252
Kanji	Japan
Katakana	Japan
Korean	949
Latvian	1257
Lithuanian	1257
Nordic	865
Norwegian	1252
Polish	852
Portuguese	1252
Romanian	852
Simplified Chinese	936
Slavonic/Russian	866
Slovak	852
Slovene	852
Spanish	1252
Swedish	1252

### Technical Specifications

		Thai	874
		Traditional Chinese	950
	<b>Character size</b>	7.8(W) x 10.4(H) mm	
	<b>Dot size (X * Y)</b>	0.495 x 0.35 mm	
	<b>Command Modes</b>	ADM788, AEDEX, CD5520, DSP880, EMAX, Epson, LD540, Logic Control, UTC/P / UTC/S	
	<b>Viewing Angle</b>	90 degrees Max	
	<b>Horizontal Rotation</b>	180 degrees Max	
<b>Mechanical</b>	<b>Panel Dimensions</b>	226 (W) x 40.25 (D) x 72 (H) mm	
	<b>Support (pole) Dimension</b>	3 pole sections included: 130mm each	
	<b>Rectangular Base Dimension</b>	180mm (W) x 140mm (D) x 24 mm (H)	
	<b>Cable Length</b>	5.35 ft (1.63 m)	
	<b>Weight</b>	586.9g (VFD and cable) 50.8g (1 pole) 1.06kg (rectangular base)	
	<b>Color</b>	HP Jack Black	
<b>Interface/Connection</b>	<b>Interface</b>	12V Powered USB	
<b>Power</b>	<b>Voltage (typical)</b>	12V	
	<b>Current consumption (typical)</b>	0.5 A	
	<b>Product Category</b>	Class III	
<b>Operating Systems (Compatible with)</b>	Windows® 7 Professional 32-bit Windows® 7 Professional 64-bit Windows® XP Professional 32 Windows® Embedded for Point of Service Windows® Embedded POSReady 2009 Windows® Embedded POSReady 7 32-bit Windows® Embedded POSReady 7 64-bit		
<b>Drivers</b>	Windows® native, OPOS, JPOS		
<b>Certifications</b>	CE, FCC Class B, Canadian ICES-003 Class B, MIC, RoHS, WEEE, C-Tick, WHQL		
<b>Option kit contents</b>	HP Graphical POS Pole Display, Point of Sale System Software and Documentation CD and the Options Warranty Manual		

© Copyright 2012 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. Microsoft, Windows, Windows XP and Windows are trademarks of the Microsoft group of companies.