

SONY

BRAVIA 4K HDR OLED Professional Displays

Displays designed for business

55" - 77"
AG8/9-series

FWD-55A8G/T
FWD-65A8G/T
FWD-55A9G/T
FWD-65A9G/T
FWD-77A9G/T





4K OLED picture quality

Bring the incredible depth and quality of 4K HDR OLED resolution to your organisation with BRAVIA 4K Professional Displays, available in 55" – 77" screen sizes.

Superior displays designed for business

Advanced control, professional mode, optional interactive compatibility, an embedded HTML5 platform for easy digital signage creation; our BRAVIA 4K Displays are designed to suit all your professional needs so you always present a clear image.

Professional design

Our line-up offers all the technological performance and style you'd expect from BRAVIA, powered by the latest X1 enhanced processor. The 4K OLED panel produces four times the pixels of Full HD for outstanding picture quality, while the ultra-slim design enhances any corporate or retail environment.

Do more with our BRAVIA built-in solutions

Look no further with BRAVIA. Our new range features a number of fantastic built-in solutions to customise your BRAVIA exactly the way you want. From meeting room solutions, TEOS Manage, TEOS Connect, TDM Digital Signage, Smart Automation System and the Applications Store, there's no need for any external devices or players.


Key Features

High contrast OLED screen technology

Each self-illuminating pixel is precisely and individually controlled, with Pixel Contrast Booster technology maximising dynamic range for exquisite images with unprecedented colour contrast. You'll see unprecedented detail, texture and realism in every scene.

4K image resolution (3840 x 2160 pixels)

4K offers four times the detail of Full HD, with a resolution of over 8 million pixels bringing extra clarity to corporate display, education and digital signage applications.





Ultimate OLED Picture Quality



Sound from the screen

With Acoustic Surface Audio+™, sound comes directly from the screen. Three actuators behind the TV vibrate to create acoustics that move with the picture. Two side-facing subwoofers deliver rich, spatial bass.

Spectacularly lifelike 4K images

Our most powerful ever Picture Processor X1™ Extreme/Ultimate* features Object-based Super Resolution, Object-based HDR remaster and Super Bit Mapping™ 4K HDR for exceptionally detailed, realistic pictures with rich colour and ultra-low noise.

Easily create digital signage

Integrated support for HTML5 makes it easy to produce compelling digital signage, with no extra hardware or prior training needed. Combine graphics, text, 4K video and live web content to create attractive signage in minutes.

Compatible with High Dynamic Range (HDR)

View a wider range of brightness levels with HDR, the emerging video format that allows content creators to expand their range of creativity.



Complete Simplicity

Installation friendly

The slim, stylish display offers a wide range of mounting options, is VESA compliant and integrates colour neatly into any corporate, retail or educational environment.

Automatic on/off feature

Easily programme your BRAVIA with the On Timer feature to automatically turn the flat panel on /off.

Do more with Android TV™

Discover a world of apps and online content powered by Android TV. Use Voice Search to find content easily with no typing.

Professional Mode

There's now more control to disable input or remote control, remove labels and block buttons; customise and store display settings and features, add security then copy them easily from display to display via USB flash memory.

The total touchscreen solution***

Turn your BRAVIA into an interactive touchscreen with our IR and capacitive technology overlays. Designed to fit seamlessly onto the BRAVIA screen, it's easy to set up and allows 10 multi-touch points for greater interaction. Contact your local Sony dealer for more information.



Bring the incredible depth and quality of 4K OLED resolution to your business

Ideal for:


Corporate presentation

Digital signage

Video conferencing

Education

Do more with BRAVIA built-in solutions



Built-in Meeting-Room solution

Standard and enhanced interface in meeting rooms with smart features, and efficient automated systems for input management. There's no need for extra controllers in the room and settings stay exactly as they have been programmed.




Built-in mirroring* (TEOSConnect)**

Great for collaborative working, TEOS Connect allows smooth, speedy wireless screen mirroring from laptops, directly to BRAVIA Professional Displays. It's available as an easy-to-install app, with no extra hardware needed.



Built-in workplace management solution* (TEOSManage)**

Sony BRAVIA Professional Displays are fully compatible with TEOS Manage. Intelligent workspaces can now have complete control of all of their connected devices and content in boardrooms, meeting rooms, offices, public areas and other locations. Plus, there's no player required.



Built-in Digital Signage Platform (TDM Digital Signage)**

Create and generate your signage content simply and without limitation. This easy-to-use authoring tool lets you combine text, graphics, video, social media feeds and other live web content to produce dynamic marketing messages.



Built-in Android Applications Store

Endless possibilities to display what you need, without external devices, through dedicated applications.

* Extreme for AG8 and ultimate for AG9

** Android 8 AG9 only

*** Optional

AG8/9-series Specifications

		FWD-55A8G/T	FWD-65A8G/T	FWD-55A9G/T	FWD-65A9G/T	FWD-77A9G/T	
Display features	Display device	OLED					
	TRILUMINOS Display	Yes					
	Display type	OLED					
Professional features	Bezel size (Side)	3.45mm	3.3mm	-			
	Operation time	18/7					
	Professional Hidden Mode	Yes					
	HTML5 platform	Yes					
	Multicast/ IPTV	Yes					
General features	Compatible with TDM Digital Signage	Yes					
	Available Storage	16 Go					
	Compatible TDM Content	Customised design, text, pictures, videos, YouTube, traffic, weather, public information, Facebook, Twitter, Powerpoint and more.					
	Auto Calibration with CalMAN	-					
	Closed Captions (Digital)	Subtitle					
Network specs	Demo Mode	Yes					
	Hotel Mode Menu	Yes					
	Home Network Feature	Home Network Client, Home Network Renderer					
	Wi-Fi Direct	Yes					
	Wi-Fi Certified	Yes					
	Screen mirroring(Miracast™)	Yes				Yes (only for B2B purpose)	
	Video & TV SideView (iOS/Android)	Yes					
	Related Info	Yes (Austria / Belgium / Czech rep. / Denmark / Finland / France / Germany / Ireland / Italy / Luxembourg / Netherlands / Norway / Poland / Russia / Slovakia / Spain / Sweden / Switzerland / UK)					
	Wi-Fi Standard	a/b/g/n/ac					
	Wi-Fi Frequency	2.4GHz/5GHz					
Convenience features	Internet Browser	Vewd					
	Codec for Home Network	MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC/MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid, MotionJpeg/ASF(WMV):VC1/ MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8,HEVC/WEBM:VP8/3GPP:MPEG4, AVC/MP3/ASF(WMA)/WAV/MP4AAC/FLAC/JPEG					
	Wireless LAN	Integrated					
	USB playback codecs	MPEG1:MPEG1/MPEG2PS:MPEG2/MPEG2TS(HDV,AVCHD):MPEG2,AVC/MP4(XAVC S):AVC,MPEG4,HEVC/AVI:Xvid, MotionJpeg/ASF(WMV):VC1/ MOV:AVC,MPEG4,MotionJpeg/MKV:Xvid,AVC,MPEG4,VP8,HEVC/WEBM:VP8/3GPP:MPEG4, AVC/MP3/ASF(WMA)/WAV/MP4AAC/FLAC/JPEG WEBM:VP9/AC4/ogg/AAC/ARW(Screen nail only)					
	Chromecast built-in	Yes					
	Voice Search	Yes					
	Application Store	Yes (Google Play Store)					
	HDMI-CEC	Yes					
	i-Manual	Yes					
	Channel Block (with password)	Yes (Digital)					
Control specs	Show/Hide Channels	Yes (Analog)					
	On Screen Clock	Yes					
	Sleep Timer	Yes					
	On/Off Timer	Yes					
	USB drive format support	Yes (Supported File System: FAT16/FAT32/exFAT/NTFS)					
	Display Language	BUL/CAT/CZE/DAN/GER/GRE/ENG/SPA/EST/FIN/FRE/HEB/HRV/HUN/ITA/KAZ/LIT/LA/LAV/DUT/NOR/POL/POR/RUM/RUS/SLO/SLV/SRP/SWE/TUR/UKR/BOS/MAC					
	Hotel Mode Pro	Yes					
	IP Control	Yes					
	HDMI auto wake-up	Yes					
	Inputs and outputs	HDMI Signal	4096x2160p(24,50,60Hz),3840x2160p(24,25,30,50,60Hz), 1080p(30,50,60Hz), 1080/24p, 1080i(50,60Hz), 720p(30,50,60Hz), 720/24p, 576p, 576i, 480p, 480i		4096x2160p(24,50,60Hz), 3840x2160p(24,25,30,50,60Hz), 1080p(30,50,60Hz), 1080/24p, 1080i(50,60Hz), 720p(30,50,60Hz), 720/24p, 576p, 480p		
HDCP		Version 4.1		HDCP2.3(for HDMI1/2/3/4)			
Bluetooth profile support		Version 4.1		Version 4.2			
4K 60P High-Quality formats		HDMI IN2, IN3 ports for 4K(up to 6Gbps) signal		HDMI IN1, IN2, IN3, IN4 ports for 4K(up to 6Gbps) signal			
AC Power Input		1 (Rear)					
RF (Terrestrial/Cable) Connection Input(s)		1 (Bottom)					
IF (Satellite) Input(s)		2 (Bottom)					
Composite Video Input(s)		1 (Side)					
HDMI inputs total		4(1Side,3Bottom)					
Analog Audio Input(s) (Total)		1 (1Side Analog Conversion)					
Audio Output(s)		1(Side / Hybrid with Headphone Out)		-			
Subwoofer Output(s)		1 (Side / Hybrid with Headphone Out)		-			
USB ports		2 (Side) / 1 (Bottom)					
Ethernet inputs		1(Bottom)					
PCMCIA Slot(s)		1 (Side)					
Audio specs	HDMI PC Input Format	640x480(31.5kHz,60Hz), 800x600(37.9kHz,60Hz), 1024x768(48.4kHz,60Hz), 1280x1024(64.0kHz,60Hz), 1152x864(67.5kHz,75Hz), 1600x900(55.9kHz,60Hz), 1680x1050(65.3kHz,60Hz), 1920x1080(67.5kHz,60Hz)					
	Speaker Position	Front + Down Firing		Front			
	Bass/Treble/Balance			Balance			
	Speaker Type	Acoustic Surface Audio		Acoustic Surface Audio+			
	Audio Power Output	10W+10W+10W+10W		20W+20W+10W+10W			
	Speaker Configuration	2.2ch/Actuator(29x42mm)x2, Woofer(38x85mm)x2		2.2ch/Actuator(31x45mm)x2, Subwoofer(70mm)x2			
	DSEE/DSEE-HX	DSEE		-			
Design features	Digital audio out (Optical) format	Two channel linear PCM: 48 kHz 16 bits,Dolby Digital,DTS					
	Cable Management	Yes					
	Frame color	Black					
	Stand Design	Dark Silver					
Energy saving and efficiency	Illumination LED	Yes					
	Energy Label Rating	B					
	Screen size (measured diagonally)	55" (54.6")	65" (64.5")	55" (54.6")	65" (64.5")	77" (76.7")	
	Power Consumption	Standard: 130W	Standard: 167W	Standard: 132W	Standard: 169W	Standard: 211W	
	Annual Power Consumption	180 kWh/Year	232 kWh/Year	183 kWh/Year	234 kWh/Year	293 kWh/Year	
	Power Consumption (in Standby)	0.50W					
	Power Consumption (networked standby mode)	2.00W(Wi-Fi) / 2.00W(LAN) / 0.50W(CEC)					
	Peak Luminance Ratio	73%	73%	73%	73%	74%	
	Mercury content (mg)	0.0					
	Power Requirements	AC 220-240V					
Measurements	Power Saving Mode / Back Light Off Mode	Yes					
	Dynamic Backlight Control	Yes					
	Light Sensor	Yes					
	AC Power Input	1(REAR)					
Weight	Dimension of TV without Stand (W x H x D)	Approx. 122.9x71.0x5.1(0.64) cm	Approx. 145.0x83.4x5.1(0.64) cm	Approx. 122.6x71.0x4.0(0.62) cm	Approx. 144.7x83.4x4.0(0.62) cm	Approx. 172.1x99.6x4.9(0.69) cm	
	Dimension of TV with Stand (W x H x D)	Approx. 122.9(122.9)x73.0 (78.0)x29.0(29.0) cm	Approx. 145.0(145.0)x85.4 (90.4)x29.0(29.0) cm	Approx. 122.6x71.4x25.5 cm	Approx. 144.7x83.8x25.5 cm	Approx. 172.1x100.1x30.2 cm	
	Weight of TV without Stand	Approx. 17.6 Kg	Approx. 20.3 Kg	-	-	Approx. 35.3 kg	
Optional accessories	Weight of TV with Stand	Approx. 19.8 Kg	Approx. 22.5 Kg	-	-	Approx. 39.7 kg	
	Weight of Package Carton (Gross)	Approx. 27 kg	Approx. 32 kg	Approx. 30 kg	Approx. 34 kg	Approx. 53 kg	
	Wallmount Bracket	SU-WL450 (Terminal access limitation, refer to SU-WL450 product page)					
Service and warranty	Standard Warranty	3 years with advanced exchange					
	5 Years Warranty with Advanced Exchange (Option)	PSP.FWOL-55.2X	PSP.FWOL-65.2X	PSP.FWOL-55.2X	PSP.FWOL-65.2X	PSP.FWOL-77.2X	

Optional accessories



CAB-VGAHDMI1
VGA to HDMI cable



SU-WL450/PSE
Wall Mount



TEOS Connect license
TEC-SC100



TEOS Manage licenses
TEM-CO10
TEM-MR10
TEM-DS10



TDM digital signage software licenses
TDM-DS1Y: 1 year
TDM-DS3Y: 3 years



Totems



Frontcover accessories



Touch overlays

PrimeSupport

All Sony BRAVIA Professional Displays sold into the EU, Norway and Switzerland come supplied with a 3 Year PrimeSupport pack, offering unique services and benefits, including:

- Freephone telephone helpdesk support (00 800 7898 7898) in 5 languages.
- A completely new replacement model rather than repair as standard.

In addition, optional PrimeSupport Plus packs can be purchased to add a 2 year extension of the standard 3 year PrimeSupport and to give long-term assurance of expert support, technical assistance for 5 years from purchase date.

PrimeSupport Pro

For full features visit pro.sony/products/professional-displays

© 2019 Sony Corporation. All rights reserved. Reproduction in whole or in part without permission is prohibited. Features and specifications are subject to change without notice. All non-metric weights and measurements are approximate. 'Sony' and 'BRAVIA' are registered trademarks or trademarks of Sony Corporation. All other trademarks are the property of their respective owners.

Sony is the leading supplier of AV/IT solutions to businesses across a wide variety of sectors including, Media and Broadcast, Video Security, Medical, Digital Cinema and Displays. It delivers products, systems and applications to enable the creation, manipulation and distribution of digital audio-visual content that add value to businesses and their customers. With over 25 years' experience in delivering innovative market-leading products, Sony is ideally placed to deliver exceptional quality and value to its customers. Collaborating with a network of established technology partners, Sony delivers end-to-end solutions that address the customer's needs, integrating software and systems to achieve each organisation's individual business goals. For more information please visit www.pro.sony

Distributed by

SONY